

OVERVIEW

The EP7209 development kit provides a comprehensive set of tools for developing and testing the *only* single chip solution for audio decoding on the market. The EP7209 allows for general purpose microprocessor-based decoding of a wide variety of digital audio compression standards such as MP3 and Microsoft® Windows® Media Technologies 4.0.

The EP7209 development kit is a cost-effective platform that enables designers to rapidly bring digital audio players to market at reduced cost. It is easy to set up and includes all necessary tools required for developing and testing a highly integrated EP7209-based system.

DEVELOPMENT BOARD SPECIFICATIONS

- 74 MHz EP7209 processor with dynamically controllable clock speeds at 18, 36, 49, and 74 MHz
- 16-MB NOR FLASH memory for code/data storage
- 32-MB NAND FLASH for encoded audio data storage
- 16-MB EDO DRAM
- Smart Media connector for additional NAND FLASH
- Full JTAG scan and Embedded ICE® for debug support
- IR port (uses one of the serial ports), compatible with IrDA® Standard Specifications
- EPP parallel port interface
- Telephony codec with microphone input and amplified speaker output
- Two serial ports
- Digital Audio Interface with 16-bit stereo D/A
- USB Device Interface (compliant with USB Specifications, Rev 1.1)
- Switches for simulating power management events
- Ethernet interface
- Connector for custom LCD interface (LCD not included)
- Headers providing access to bus and peripheral control signals
- Expansion bus connector



KIT CONTENTS

Hardware

- EP7209 development board
- Null modem cable
- OrCad® 7.2 and PDF board schematics
- Documentation on CD-ROM

Software

- ARM® Software Development Toolkit v2.50 (60-day evaluation version) which includes a C compiler, assembler, linker, debugger, ARM® simulator, and project manager - Requires Windows® 95 / Windows® 98 / Windows NT®
- Green Hills Software's MULTI® Software Toolkit (30-day evaluation version)

OPTIONAL THIRD PARTY SUPPORT AND PARTNERS (not included)


Development Toolkits

- Cygnus Solutions' GNU™ Toolset

ORDERING INFORMATION

EDB7209-4





Contacting Cirrus Logic Support

For a complete listing of Direct Sales, Distributor, and Sales Representative contacts, visit the Cirrus Logic web site at: <http://www.cirrus.com/corporate/contacts/>

Cirrus Logic Inc. (Nasdaq: CRUS) is a premier supplier of precision linear circuits and advanced mixed-signal chip solutions. The company's products, sold under its own name and the Crystal® product brand, enable system-level applications in mass storage, audio, and precision data conversion.

With more than 800 patents (issued and pending), Cirrus Logic's inventions are substantive, and the company continues to expand its rich intellectual property portfolio through major R&D investments. Nearly half of the company's patents involve mixed-signal technology, which is key to innovating highly integrated system-on-chip solutions. Over the past decade, Cirrus Logic has achieved 70 plus industry firsts with its product introductions. Many of these innovations have set new industry standards within their respective markets.

Cirrus Logic operates from headquarters in Fremont, California and major sites in Austin, Texas and Broomfield, Colorado. Internationally, the company operates from offices in Europe, Japan, and Pacific Asia.

More information about Cirrus Logic and its products can be accessed at the company's world wide web site: www.cirrus.com.

Copyright © 2000 Cirrus Logic, Inc. All rights reserved. Printed in USA.

ARM is a registered trademark and Angel is a trademark of ARM Limited. Windows, Windows 95, Windows 98 and Windows NT, and Microsoft are registered trademarks of Microsoft Corporation. IBM is a registered trademark of International Business Machines Corporation. OrCAD is a registered trademark of OrCAD, Inc., MULTI is a registered trademark and Green Hills is a trademark of Green Hills Software, Inc., Cygnus and GNU and are trademarks of Cygnus Solutions, Inc., EmbeddedICE is a registered trademark of Advance RISC Machines., Hewlett-Packard is a registered trademark of Hewlett-Packard Company, IrDA is a registered trademark of the Infrared Data Association.

Cirrus Logic, Inc. has made best efforts to ensure that the information contained in this document is accurate and reliable. However, the information is subject to change without notice and is provided 'AS IS' without warranty of any kind (express or implied). No responsibility is assumed by Cirrus Logic, Inc. for the use of this information, nor for infringements of patents or other rights of third parties. This document is the property of Cirrus Logic, Inc. and implies no license under patents, copyrights, trademarks, or trade secrets. No part of this publication may be copied, reproduced, stored in a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photographic, or otherwise) unless distributed in its entirety with all copyright notices attached. No part of this publication may be used as a basis for manufacture or sale of any items without the prior written consent of Cirrus Logic, Inc. The names of products of Cirrus Logic, Inc. or other vendors and suppliers appearing in this document may be trademarks or service marks of their respective owners which may be registered in some jurisdictions. A list of Cirrus Logic, Inc. trademarks and service marks can be found at <http://www.cirrus.com>.