



# ZigBee®

## Control your world

# ZigBee RF4CE ZigBee Input Device (ZID) Profile Version 0.9

ZigBee Document 105557r15ZB

June 16th, 2011

Sponsored by: ZigBee Alliance

Accepted by

This document has not yet been accepted for release by the ZigBee Alliance Board of Directors

Abstract

This specification defines the protocol infrastructures and services available to applications operating on the ZigBee RF4CE platform using the ZID profile.

Keywords

RF4CE, HID, pointing, profile, multitouch.

**June 16th, 2011**

---

Copyright © 1996-2011 by the ZigBee Alliance.

2400 Camino Ramon, Suite 375, San Ramon, CA 94583, USA

<http://www.zigbee.org>

All rights reserved.

Permission is granted to members of the ZigBee Alliance to reproduce this document for their own use or the use of other ZigBee Alliance members only, provided this notice is included. All other rights reserved. Duplication for sale, or for commercial or for-profit use is strictly prohibited without the prior written consent of the ZigBee Alliance.

This page is intentionally blank

## Notice of use and disclosure

The ZigBee Specification is available to individuals, companies and institutions free of charge for all non-commercial purposes (including university research, technical evaluation, and development of non-commercial software, tools, or documentation). No part of this specification may be used in development of a product for sale without becoming a member of ZigBee Alliance.

Copyright © ZigBee Alliance, Inc. (2008-2011). All rights Reserved. This information within this document is the property of the ZigBee Alliance and its use and disclosure are restricted.

Elements of ZigBee Alliance specifications may be subject to third party intellectual property rights, including without limitation, patent, copyright or trademark rights (such a third party may or may not be a member of ZigBee). ZigBee is not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights.

This document and the information contained herein are provided on an "AS IS" basis and ZigBee DISCLAIMS ALL WARRANTIES EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO (A) ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OF THIRD PARTIES (INCLUDING WITHOUT LIMITATION ANY INTELLECTUAL PROPERTY RIGHTS INCLUDING PATENT, COPYRIGHT OR TRADEMARK RIGHTS) OR (B) ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NONINFRINGEMENT. IN NO EVENT WILL ZIGBEE BE LIABLE FOR ANY LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OF DATA, INTERRUPTION OF BUSINESS, OR FOR ANY OTHER DIRECT, INDIRECT, SPECIAL OR EXEMPLARY, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY KIND, IN CONTRACT OR IN TORT, IN CONNECTION WITH THIS DOCUMENT OR THE INFORMATION CONTAINED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE. All Company, brand and product names may be trademarks that are the sole property of their respective owners.

The above notice and this paragraph must be included on all copies of this document that are made.

ZigBee Alliance, Inc.

2400 Camino Ramon, Suite 375

San Ramon, CA 94583

## Participants

1  
2 When this document was release, the RF4CE SIG Technical Working Group leadership was composed  
3 of the following members:

4 **Phil Jamieson:** *Chair & Technical Editor*

5 **Joseph Reddy:** *Vice chair*

6

7 Contributions were made to this document by the following members:

8 Sorin Aliciuc  
9 Victor Berrios  
10 Bram Van den Bosch  
11 Francesco Cimino  
12 Jan Van Eetvelde  
13 Chris Gray  
14 Chris Heiny  
15 Phil Jamieson  
16 Paul Jeon  
17 Razvan Mihai Lucaci  
18 Yuichi Morioka  
19 Masahiro Nakano  
20 Kundok Park  
21 Stefano Pascali  
22 Nicu Penisoara  
23 Bill Reams  
24 Joseph Reddy  
25 Michele Sardo  
26 Koichi Sato  
27 Stig Torud  
28 Udo Walter

29

## Table of Contents

1	Introduction .....	1
2	1.1 Scope.....	1
3	1.2 Definitions.....	1
4	1.3 Conformance levels.....	1
5	1.4 Abbreviations .....	2
6	1.5 Conventions.....	2
7	1.5.1 Number formats .....	2
8	1.5.2 Transmission order .....	2
9	1.5.3 Message sequence charts .....	2
10	1.5.4 Reserved values .....	3
11	1.6 References .....	3
12		
13	2 General description .....	4
14	2.1 Architectural components .....	4
15	2.1.1 Device descriptions.....	4
16	2.1.2 Stack components .....	5
17	3 ZID command frames .....	7
18	3.1 ZID profile requirements for GDP command frames.....	7
19	3.1.1 Generic command frame.....	7
20	3.1.2 Generic response command frame.....	7
21	3.1.3 Get attributes command frame.....	8
22	3.1.4 Push attributes command frame.....	8
23	3.2 Get report command frame .....	8
24	3.2.1 Command frame format.....	8
25	3.2.2 When generated .....	9
26	3.2.3 Effect on receipt.....	9
27	3.3 Report data command frame .....	10
28	3.3.1 Command frame format.....	10
29	3.3.2 When generated .....	10
30	3.3.3 Effect on receipt.....	11
31	3.4 Set report command frame .....	11
32	3.4.1 Command frame format.....	11
33	3.4.2 When generated .....	11
34	3.4.3 Effect on receipt.....	12
35	4 ZID profile constants and attributes .....	13
36	4.1 ZID profile constants.....	13
37	4.2 ZID profile attributes.....	14
38	4.2.1 <i>apIKeyExchangeTransferCount</i> attribute.....	15
39	4.2.2 <i>apIZIDProfileVersion</i> attribute .....	15
40	4.2.3 <i>apIMtPipeUnsafeTxWindowTime</i> attribute .....	15
41	4.2.4 <i>apIReportRepeatInterval</i> attribute .....	16
42	4.2.5 <i>apIHIDParserVersion</i> attribute .....	16
43	4.2.6 <i>apIHIDDeviceSubclass</i> attribute.....	16
44	4.2.7 <i>apIHIDProtocolCode</i> attribute .....	16

1	4.2.8	<i>aplHIDCountryCode</i> attribute.....	16
2	4.2.9	<i>aplHIDDeviceReleaseNumber</i> attribute.....	17
3	4.2.10	<i>aplHIDVendorId</i> attribute.....	17
4	4.2.11	<i>aplHIDProductId</i> attribute.....	17
5	4.2.12	<i>aplHIDNumEndpoints</i> attribute.....	17
6	4.2.13	<i>aplHIDPollInterval</i> attribute.....	17
7	4.2.14	<i>aplHIDNumStdDescComps</i> attribute.....	17
8	4.2.15	<i>aplHIDStdDescCompsList</i> attribute.....	17
9	4.2.16	<i>aplHIDNumNullReports</i> attribute.....	17
10	4.2.17	<i>aplHIDNumNonStdDescComps</i> attribute.....	18
11	4.2.18	<i>aplHIDNonStdDescCompSpec-i</i> attribute.....	18
12	5	Functional description.....	19
13	5.1	Generic description.....	19
14	5.1.1	Discovery/pairing procedure.....	19
15	5.1.2	Transmission model.....	19
16	5.1.3	Communication with a HID class device.....	21
17	5.1.4	Support for boot protocols.....	23
18	5.1.5	Fragmentation of descriptor components.....	23
19	5.2	HID adaptor operation.....	24
20	5.2.1	HID adaptor proxy table.....	24
21	5.2.2	HID adaptor state machine.....	27
22	5.2.3	Servicing requests from the HID class driver.....	33
23	5.3	HID class device operation.....	34
24	5.3.1	HID class device state machine.....	35
25	5.4	Security.....	38
26	5.4.1	ZID profile command frames.....	38
27	5.4.2	Report data command frames.....	39
28	6	Multitouch position and gesture reports.....	40
29	6.1	Introduction.....	40
30	6.1.1	General reporting principles.....	40
31	6.1.2	Multitouch reporting.....	41
32	6.1.3	Gesture reporting.....	41
33	6.1.4	Gestures.....	41
34	6.1.5	Advanced gestures.....	43
35	6.1.6	Continuous vs transitory gestures.....	43
36	6.2	Touch sensor properties report.....	43
37	6.2.1	Origin field.....	43
38	6.2.2	Gestures field.....	44
39	6.2.3	Number of additional contacts field.....	44
40	6.2.4	Reliable index field.....	44
41	6.2.5	Resolution <sub>x</sub> and resolution <sub>y</sub> fields.....	44
42	6.2.6	Maximum coordinate <sub>x</sub> and maximum coordinate <sub>y</sub> fields.....	44
43	6.2.7	Shape field.....	45
44	6.3	Tap support properties report.....	45
45	6.3.1	Long tap field.....	45
46	6.3.2	Double tap field.....	46
47	6.3.3	Tap-and-a-half field.....	46

1	6.3.4	Single tap field.....	46
2	6.4	Sync report .....	46
3	6.4.1	Gesture field .....	46
4	6.4.2	Contact count field.....	46
5	6.5	Contact data report .....	46
6	6.5.1	Contact state field.....	47
7	6.5.2	Contact index field.....	48
8	6.5.3	Contact type field.....	48
9	6.5.4	Location <sub>x</sub> and location <sub>y</sub> fields.....	48
10	6.5.5	Major axis orientation field.....	49
11	6.5.6	Major and minor axis length fields.....	49
12	6.5.7	Pressure field.....	49
13	6.6	Tap gesture report .....	49
14	6.6.1	Type field.....	49
15	6.6.2	Finger count.....	50
16	6.6.3	Location <sub>x</sub> , location <sub>y</sub> .....	50
17	6.7	Scroll gesture report .....	50
18	6.7.1	Type field.....	50
19	6.7.2	Finger count field.....	51
20	6.7.3	Direction field.....	51
21	6.7.4	Distance field.....	53
22	6.8	Pinch gesture report.....	53
23	6.8.1	Finger present field.....	53
24	6.8.2	Direction field.....	54
25	6.8.3	Distance field.....	54
26	6.8.4	Center <sub>x</sub> , center <sub>y</sub> fields.....	54
27	6.9	Rotation gesture report.....	54
28	6.9.1	Finger present field.....	54
29	6.9.2	Direction field.....	54
30	6.9.3	Magnitude field.....	55
31	7	Revision History.....	56
32	8	Annex A USB descriptor generation.....	57
33	8.1	Device descriptor .....	59
34	8.2	Configuration descriptor .....	60
35	8.3	Interface descriptor.....	61
36	8.4	Endpoint descriptor .....	62
37	8.5	HID descriptor.....	63
38	9	Annex B Standard report components.....	64
39	9.1	Mouse.....	65
40	9.1.1	Component specification .....	65
41	9.1.2	Report format.....	65
42	9.1.3	Null report.....	65
43	9.2	Keyboard.....	67
44	9.2.1	Component specification .....	67
45	9.2.2	Report format.....	67
46	9.2.3	Null report.....	68

1	9.3	Contact data.....	69
2	9.3.1	Component specification.....	69
3	9.3.2	Report format.....	69
4	9.4	Tap Gesture.....	70
5	9.4.1	Component specification.....	70
6	9.4.2	Report format.....	70
7	9.5	Scroll gesture.....	71
8	9.5.1	Component specification.....	71
9	9.5.2	Report format.....	71
10	9.6	Pinch gesture.....	72
11	9.6.1	Component specification.....	72
12	9.6.2	Report format.....	72
13	9.7	Rotation gesture.....	73
14	9.7.1	Component specification.....	73
15	9.7.2	Report format.....	73
16	9.8	Sync.....	74
17	9.8.1	Component specification.....	74
18	9.8.2	Report format.....	74
19	9.9	Touch sensor properties.....	75
20	9.9.1	Component specification.....	75
21	9.9.2	Report format.....	75
22	9.10	Tap support properties.....	76
23	9.10.1	Component specification.....	76
24	9.10.2	Report format.....	76



## List of Figures

1		
2	Figure 1 – Illustration of a HID class device and host architecture.....	4
3	Figure 2 – Format of the get report command frame.....	9
4	Figure 3 – Format of the report data command frame.....	10
5	Figure 4 – Format of a report data record.....	10
6	Figure 5 – Format of the set report command frame.....	11
7	Figure 6 – ZID transmission model.....	19
8	Figure 7 – Interrupt pipe transmissions.....	21
9	Figure 8 – Example sequence chart illustrating the use of the data pending sub-field.....	22
10	Figure 9 – Format of a fragmented descriptor component.....	23
11	Figure 10 – HID adapter state machine.....	27
12	Figure 11 – Use of push attributes command frames in the configuration state.....	32
13	Figure 12 – HID class device state machine.....	35
14	Figure 13 – Attributes of a single contact.....	40
15	Figure 14 – Format of the touch sensor properties report.....	43
16	Figure 15 – Format of the tap support properties report.....	45
17	Figure 16 – Format of a standard sync report.....	46
18	Figure 17 – Format of a standard contact data report.....	47
19	Figure 18 – Format of a standard tap gesture report.....	49
20	Figure 19 – Format of a standard scroll gesture report.....	50
21	Figure 20 – Format of a standard pinch gesture report.....	53
22	Figure 21 – Format of a standard rotation gesture report.....	54
23	Figure 22 – USB HID descriptor hierarchy.....	57
24	Figure 23 – Example compound report descriptor using contact data and pinch gesture.....	64
25	Figure 24 – Component for a standard mouse report.....	65
26	Figure 25 – Format of a standard mouse report.....	65
27	Figure 26 – Mouse component NULL report.....	66
28	Figure 27 – Component for a standard keyboard report.....	67
29	Figure 28 – Format of a standard keyboard input report.....	68
30	Figure 29 – Format of a standard keyboard output report.....	68
31	Figure 30 – Keyboard component NULL report.....	68
32	Figure 31 – Component for a standard contact data report.....	69
33	Figure 32 – Component for a standard tap gesture report.....	70
34	Figure 33 – Component for a standard scroll gesture report.....	71
35	Figure 34 – Component for a standard pinch gesture report.....	72
36	Figure 35 – Component for a standard rotation gesture report.....	73
37	Figure 36 – Component for a standard sync report.....	74
38	Figure 37 – Component for a standard touch sensor properties report.....	75
39	Figure 38 – Component for a standard tap support properties report.....	76
40		

## 1 List of Tables

2	Table 1 – GDP command frames utilized by the ZID profile.....	7
3	Table 2 – Values of the command code field for the ZID profile.....	7
4	Table 3 – Values of the response code field.....	8
5	Table 4 – Values of the report type field.....	9
6	Table 5 – Additional ZID profile constants.....	13
7	Table 6 – ZID profile attribute summary.....	14
8	Table 7 – Values of the <i>apHIDDeviceSubclass</i> attribute.....	16
9	Table 8 – Values of the <i>apHIDProtocolCode</i> attribute.....	16
10	Table 10 – Transmission options per transmission type.....	20
11	Table 11 – Attributes required in a single proxy table entry.....	24
12	Table 12 – Values of the <i>apDeviceIdleRate</i> attribute.....	25
13	Table 13 – Values of the <i>apCurrentProtocol</i> attribute.....	26
14	Table 14 – Format of a NULL report specification.....	26
15	Table 15 – HID adapter (host side) state transitions.....	27
16	Table 16 – ZID profile attributes by USB descriptor.....	30
17	Table 17 – HID class device state transitions.....	35
18	Table 18 – Frequently used gestures.....	42
19	Table 19 – Values of the origin field.....	44
20	Table 20 – Values of the shape field.....	45
21	Table 21 – Values of the contact state field of the contact data report.....	47
22	Table 22 – Values of the contact type field of the contact data report.....	48
23	Table 23 – Values of the type field of the tap gesture report.....	50
24	Table 24 – Values of the type field of the scroll gesture report.....	51
25	Table 25 – Values of the direction field for flick.....	52
26	Table 26 – Values of the direction field for linear scroll.....	52
27	Table 27 – Values of the direction field for circular scroll.....	53
28	Table 28 – Values of the direction field of the pinch gesture report.....	54
29	Table 29 – Values of the direction field of the rotation gesture report.....	55
30	Table 30 – Standard RF4CE ZID profile report components.....	64

31